

South Atlantic 2016 and 2017 Landings

Michael Larkin, Ph.D LAPP/DM Branch SERO

SA SSC Meeting

October 24-26, 2017



Notes on Commercial Landings Data

- Landings were summarized in October of 2017.
 Both 2016 and 2017 landings are preliminary at this time.
- Commercial Landings were compiled and provided by the Southeast Fisheries Science Center on October 3, 2017.
- Landings come from in-season monitoring of dealer reported landings.
- Landings are assigned by fisher reported catch area rather than dealer location



Species Complex	Landings (lbs)	ACL	Units	Percent of ACL	Closure Date
Atlantic spadefish	16,216	150,552	ww	11%	
Bar Jack	2,858	13,228	ww	22%	
Black Grouper	63,815	96,844	ww	66%	
Black Sea Bass	257,942	780,020	ww	33%	
Blueline tilefish	101,043	87,521	ww	115%	8/30
Cobia NY to GA	48,690	50,000	ww	97%	12/6
Deepwater complex ^a	45,696	131,634	ww	35%	
Dolphin ^c	1,002,025	1,534,485	ww	65%	
Gag	220,715	297,882	gw	74%	
Golden tilefish (H & L)	157,164	135,324	gw	97%	
Golden tilefish (LongL)	431,822	405,971	gw	101%	3/15
G. Trigger Jan-Jun	140,115	156,162	ww	90%	4/2
G. Trigger Jul-Dec	171,948	172,178	ww	99%	12/16
Grunts ^b	78,436	217,903	ww	36%	

* Deepwater complex^a - Yellowedge grp, silk snapper, misty grp, queen snapper, sand tilefish, black snapper, blackfin snapper

* Grunts^b - White grunt, margate, sailor's choice, tomtate

* **Dolphin^c** – landings are from North, Mid, and South Atlantic regions



Species Complex	Landings (lbs)	ACL	Units	Percent of ACL	Closure Date
Hogfish	33,389	49,469	ww	56%	
Jacks ^c	206,726	189,422	ww	109%	8/9
Mutton snapper	68,619	157,743	ww	44%	
Porgies ^d	23,727	36,348	ww	65%	
Red Grouper	44,995	343,200	ww	13%	
Red Porgy	115,235	164,000	ww	70%	
Red Snapper	0	0	gw	0%	
Scamp	122,910	219,375	ww	56%	
Shallow water grouper ^e	12,388	55,542	ww	22%	
Snappers ^f	170,762	344,575	ww	50%	
Snowy grouper	145,615	125,760	gw	117%	6/14

* Jacks^c - Almaco jack, banded rudderfish, lesser amberjack

* **Porgies**^d Jolthead, knobbed, saucereye, whitebone, scup

* Shallow water grouper^e - Red hind, rock hind, coney, graysby, yellowfin gpr, yellowmouth gpr

* **Snappers**^f - Gray, lane, cubera, dog, mahogany



Species Complex	Landings (lbs)	ACL	Units	Percent of ACL	Closure Date
Vermilion snapper Jan 1 to Jun 30	429,774	431,460	ww	99%	3/29
Vermilion snapper Jul to Dec 31	425,014	432,305	ww	98%	10/11
Wahoo ^c	66,749	70,543	ww	95%	

Wahoo^c – landings are from North, Mid, and South Atlantic regions





Species Complex	Fishing Year	Landings (lbs)	ACL	Units	Percent of ACL	Closure Date
Greater Amberjack	May 1-Feb 28	757,881	769,387	gw	99%	



Species Complex	Fishing Year	Landings (lbs)	ACL	Units	Percent of ACL	Closure Date
King Mackerel	Mar 1-Feb 28	1,315,838	3,880,000	ww	34%	
Spanish Mackerel	Mar 1-Feb 28	2,580,843	3,330,000	ww	78%	

* Landings from both S. Atlantic and Mid-Atlantic



Species Complex	Landings (lbs)	ACL	Units	Percent of ACL	Closure Date
Atlantic spadefish	17,705	150,552	ww	12%	
Bar Jack	598	13,228	ww	5%	
Black Grouper	61,263	96,844	ww	63%	
Black Sea Bass	301,884	780,020	ww	39%	
Blueline tilefish	82 <i>,</i> 473	87,521	ww	94%	7/18
Cobia NY to GA	27,285	50,000	ww	42%	9/5
Deepwater complex ^a	42,417	131,268	ww	32%	
Dolphin ^c	655,378	1,534,485	ww	43%	
Gag	115,334	318,231	gw	36%	
Golden tilefish (H & L)	116,961	135,324	gw	86%	
Golden tilefish (LongL)	402,971	405,971	gw	99%	5/9
G. Trigger Jan-Jun	135,744	156,162	ww	86%	
G. Trigger Jul-Dec	111,269	156,162	ww	71%	
Grunts ^b	79,158	217,903	ww	36%	

* Deepwater complex^a - Yellowedge grp, silk snapper, misty grp, queen snapper, sand tilefish, black snapper, blackfin s

* $\mathbf{Grunts^{b}}$ - White grunt, margate, sailor's choice, tomtate

* Dolphin^c – landings are from North, Mid, and South Atlantic regions



Species Complex	Landings (lbs)	ACL	Units	Percent of ACL	Closure Date
Hogfish NC-GA	15,526	23,456	ww	66%	
Hogfish FLK-EFL	9,113	3,510	ww	260%	8/24
Jacks ^c	180,685	189,422	ww	95%	8/4
Mutton snapper	47,964	157,743	ww	30%	
Porgies ^d	14,448	36,348	ww	40%	
Red Grouper	27,038	343,200	ww	8%	
Red Porgy	91,958	164,000	ww	56%	
Red Snapper	0	0	gw	0%	
Scamp	95,167	219,375	ww	43%	
Shallow water grouper ^e	10,580	55,542	ww	19%	
Snappers ^f	100,471	344,575	ww	29%	
Snowy grouper	136,169	135,380	gw	100%	6/22

* Jacks^c - Almaco jack, banded rudderfish, lesser amberjack

* **Porgies**^d Jolthead, knobbed, saucereye, whitebone, scup

* Shallow water grouper^e - Red hind, rock hind, coney, graysby, yellowfin gpr, yellowmouth gpr

* **Snappers**^f - Gray, lane, cubera, dog, mahogany

NOAA FISHERIES



Species Complex	Fishing Year	Landings (lbs)	ACL	Units	Percent of ACL	Closure Date
Greater Amberjack	March 1-Feb 28	748,950	769,387	gw	97%	
Yellowtail Snapper*	Aug 1-July 31	1,750,750	1,596,510	ww	110%	6/3

* Regulatory Amendment 25 changed the fishing year for yellowtail snapper.



Species Complex	Fishing Year	Landings (lbs)	ACL	Units	Percent of ACL	Closure Date
King Mackerel	Mar 1-Feb 28	1,583,208	3,880,000	ww	41%	
Spanish Mackerel	Mar 1-Feb 28	3,137,202	3,330,000	ww	94%	

* Landings from both S. Atlantic and Mid-Atlantic



Notes on Recreational Landings Data

- Landings were summarized in October of 2017. 2016 landings final and 2017 landings are from January to June (waves 1-3).
 Southeast Fisheries Science Center provided the landings.
- Landings were summarized using MRIP or MRFSS (calibrated from MRIP) depending on how the ACL is defined.
- MRIP/MRFSS landings are available 45 days after the end of a two month wave.
- Landings include Headboat landings

NOAA FISHERIES

 Landings estimates were updated by NMFS SERO to be consistent with ACL monitoring (e.g., post-stratification of estimates).

2016 Recreational Landings

Species Complex	Landings (lbs)	ACL	Units	Percent of ACL	Closure Date
Atlantic spadefish	27,591	661,926	ww	4%	
Bar Jack	2,005	49,021	ww	4%	
Black Grouper	116,547	165,750	ww	70%	
Blueline tilefish	172,286	87,277	ww	197%	9/1 (F)
Cobia NY to GA	1,336,531	620,000	ww	216%	6/20
Deepwater complex ^a	17,494	38,628	ww	45%	
Dolphin	6,301,326	13,810,361	ww	46%	
Gag	135,862	312,351	gw	43%	
Golden tilefish	13,010	3,019	numbers	431%	8/27
Gray triggerfish	393,302	404,675	ww	97%	
Grunts ^b	420,847	618,122	ww	68%	
Hogfish	119,388	85,355	ww	140%	11/30
Jacks ^c	247,598	267,799	ww	92%	8/9

* Deepwater complex^a - Yellowedge grp, silk snapper, misty grp, queen snapper, sand tilefish, black snapper, blackfin snapper

* Grunts^b - White grunt, margate, sailor's choice, tomtate

* Jacks^c - Almaco jack, banded rudderfish, lesser amberjack

* MRFSS landings for gag and black grouper were post-stratified to include landings from the Florida Keys

* Dolphin landings are for the North, Mid, and South Atlantic regions.



2016 Recreational Landings

Species Complex	Landings (lbs)	ACL	Units	Percent of ACL	Closure Date
Mutton snapper	608,480	768,857	WW	79%	
Porgies ^d	140,105	106,914	ww	131%	9/3
Red Grouper	155,271	436,800	ww	36%	
Red Porgy	145,173	164,000	WW	89%	
Red Snapper ^e	0	0	numbers	0%	
Scamp	30,961	116,369	ww	27%	
Shallow water grouper ^f	28,229	48,648	ww	58%	
Snappers ^g	1,053,214	1,169,308	WW	90%	
Snowy grouper	9,746	4,483	numbers	217%	9/1 (F)
Vermilion snapper	366,063	406,080	WW	90%	
Wahoo	1,570,951	1,724,418	WW	91%	
Wreckfish	0	21,650	WW	0%	
Yellowtail snapper	534,688	1,440,990	WW	37%	

* **Porgies**^d - Jolthead, knobbed, saucereye, whitebone, scup

* Red Snapper^e - Open during 8 days in July

* Shallow water grouper^f - Red hind, rock hind, coney, graysby, yellowfin gpr, yellowmouth gpr

* **Snappers**^g - Gray, lane, cubera, dog, mahogany

* MRFSS landings for mutton snapper and yellowtail snapper were post-stratified to include landings from the Florida Keys

* Wahoo landings are from the North, Mid, and South Atlantic regions

2015/16 Recreational Landings

Species Complex	Fishing Year	Landings (lbs)	ACL	Units	Percent of ACL	Closure Date
Greater Amberjack*	May 1-Feb 28	1,207,355	1,167,837	ww	103%	
Black Sea Bass**	Jun 1-Mar 31	377,216	1,033,980	ww	36%	

* Greater amberjack landings include post-stratified MRFSS landings from Florida Keys. **Black sea bass landings exclude post-stratified MRFSS landings from N. of Cape Hatteras



2015/16 Recreational Landings

Species Complex	Fishing Year	Landings (lbs)	ACL	Units	Percent of ACL	Closure Date
King Mackerel*	Mar 1-Feb 28	1,070,319	6,580,000	ww	16%	
Spanish Mackerel*	Mar 1-Feb 28	814,094	2,727,000	ww	30%	

* Landings from both South Atlantic and Mid-Atlantic



2017 Preliminary Recreational Landings

Species Complex	Landings (lbs)	ACL Units		Percent of ACL	Closure Date
Atlantic spadefish	13,142	661,926	WW	2%	
Bar Jack	962	49,021	ww	2%	
Black Grouper	12,486	165,750	WW	8%	
Blueline tilefish	239,753	87,277	ww	275%	9/1 (F)
Cobia NY to GA	303,955	620,000	ww	49%	1/24
Deepwater complex ^a	7,555	38,628	WW	20%	
Dolphin	1,906,185	13,810,361	ww	14%	
Gag	53,205	331,902	gw	16%	
Golden tilefish	824	3,019	numbers	27%	
Gray triggerfish	193,177	404,675	ww	48%	
Grunts ^b	206,811	618,122	ww	33%	
Hogfish NC-GA	2	988	numbers	1%	
Hogfish FLK-EFL	18,395	15,689	numbers	117%	8/24
Jacks ^c	119,533	267,799	ww	45%	

a) Deepwater complex^a - Yellowedge grp, silk snapper, misty grp, queen snapper, sand tilefish, black snapper, blackfin snapper b) Grunts^b - White grunt, margate, sailor's choice, tomtate

c) Jacks^c - Almaco jack, banded rudderfish, lesser amberjack

* Landings for gag and black grouper were post-stratified to include landings from the Florida Keys

* Dolphin landings are for the North, Mid, and South Atlantic regions.

2017 Preliminary Recreational Landings

Species Complex	Landings (lbs)		Units	Percent of ACL	Closure Date
Mutton snapper	378,742	768,857	ww	49%	
Porgies ^d	32,659	106,914	ww	31%	
Red Grouper	40,887	436,800	ww	9%	
Red Porgy	28,234	164,000	ww	17%	
Red Snapper ^e	0	0	numbers	0%	
Scamp	8,389	116,369	ww	7%	
Shallow water grouper ^f	2,190	48,648	ww	5%	
Snappers ^g	431,407	1,169,308	WW	37%	
Snowy grouper	710	4,819	numbers	15%	
Vermilion snapper	139,358	406,080	WW	34%	
Wahoo	190,632	1,724,418	ww	11%	
Wreckfish	0	20,710	WW	0%	

* **Porgies**^d - Jolthead, knobbed, saucereye, whitebone, scup

- * Red Snapper^e Open during 8 days in July
- * Shallow water grouper^f Red hind, rock hind, coney, graysby, yellowfin gpr, yellowmouth gpr
- * **Snappers**^g Gray, lane, cubera, dog, mahogany
- * MRFSS landings for mutton snapper and yellowtail snapper were post-stratified to include landings from the Florida Keys
- * Wahoo landings are from the North, Mid, and South Atlantic regions

2016/17 Preliminary Recreational Landings

Species Complex	Fishing Year	Landings (lbs)	ACL	Units	Percent of ACL	Closure Date
Greater Amberjack*	May 1-Feb 28	1,252,576	1,167,837	ww	107%	
Black Sea Bass**	Jun 1-Mar 31	321,369	1,001,177	ww	32%	
Yellowtail Snapper***	Aug 1-July 31	518,785	1,440,990	ww	36%	

* Greater amberjack landings include post-stratified MRFSS landings from Florida Keys. **Black sea bass landings exclude post-stratified MRFSS landings from N. of Cape Hatteras *** Regulatory Amendment 25 changed the fishing year for yellowtail snapper.



2016/17 Recreational Landings

Species Complex	Fishing Year	Landings (lbs)	ACL	Units	Percent of ACL	Closure Date
King Mackerel*	Mar 1-Feb 28	1,951,649	6,580,000	ww	30%	
Spanish Mackerel*	Mar 1-Feb 28	963,996	2,727,000	ww	35%	

* Landings from both South Atlantic and Mid-Atlantic



ABC was Exceeded

Stock	2016 L	2016 Landings			
Stock	Commercial	Recreational	Landings	ABC	% of ABC
Blueline Tilefish	97,798	172,286	270,084	224,100	121%
Snowy Grouper	145,615	54,008	199,623	178,791	112%
Atlantic Cobia	48,690	1,336,531	1,385,221	670,000	207%
Tilefish	588,986	13,010	601,996	584,821	104%
Hogfish	33,389	119,388	152,777	134,824	113%
Porgies	23,727	140,105	163,832	143,263	114%

OFL was Exceeded

	2016 Landings		Total		
Stock			Landings	OFL	% of OFL
	Commercial	Recreational	Lanango		
Blueline Tilefish	97,798	172,286	270,084	226,500	119%
Atlantic Cobia	48,690	1,336,531	1,385,221	730,000	190%

QUESTIONS?

