

Appendix . Essential Fish Habitat and Ecosystem Based Fishery Management

EFH and EFH-HAPC Designations and Cooperative Habitat Policy Development and Protection

The Magnuson-Stevens Fishery Conservation and Management Act (Magnuson-Stevens Act) requires federal fishery management Councils and the National Marine Fisheries Service (NMFS) to designate Essential Fish Habitat (EFH) for species managed under federal fishery management plans (FMP). Federal regulations that implement the EFH program encourage fishery management Councils and NMFS also to designate subsets of EFH as a way to highlight priority areas within EFH for conservation and management. These subsets of EFH are called EFH-Habitat Areas of Particular Concern (EFH-HAPCs or HAPCs) and are designated based on ecological importance, susceptibility to human-induced environmental degradation, susceptibility to stress from development, or rarity of the habitat type. Information supporting EFH and EFH-HAPC designations was updated (pursuant to the EFH Final Rule) in FEP II.

SAFMC EFH User Guide

(http://safmc.net/download/SAFMCEFHUsersGuideFinalRevAug17_2.pdf)

The EFH Users Guide developed during the FEP II development process is available through the FEP II Dashboard (see following sections) and provides a comprehensive list of the designations of EFH and EFH-HAPCs for all species managed by the Council and the clarifications identified during FEP II development. As noted above, additional detailed information supporting the EFH designations appears in FEP, FEP II and in individual FMPs, and general information on the EFH provisions of the Magnuson-Stevens Act and its implementing regulations (50 CFR 900 Subparts J and K) can be found at https://sero.nmfs.noaa.gov/habitat_conservation/index.html. These sources should be reviewed for information on the components of EFH assessments, steps to EFH consultations, and other aspects of EFH program operation.

SAFMC EFH Policy and EFH Policy Statements

Policy for Protection and Restoration of Essential Fish Habitat SAFMC Habitat and Environmental Protection Policy

In recognizing that species are dependent on the quantity and quality of their essential habitats, it is the policy of the Council to protect, restore, and develop habitats upon which fisheries species depend; to increase the extent of their distribution and abundance; and to improve their productive capacity for the benefit of present and future generations. For purposes of this policy, “habitat” is defined as the physical, chemical, and biological parameters that are necessary for continued productivity of the species that is being managed. The objectives of the SAFMC policy will be accomplished through the recommendation of no net loss or significant environmental degradation of existing habitat. A long-term objective is to support and promote a net-gain of fisheries habitat through the restoration and rehabilitation of the productive capacity of habitats that have been degraded, and the creation and development of productive habitats

where increased fishery production is probable. The Council will pursue these goals at state, Federal, and local levels. The Council shall assume an aggressive role in the protection and enhancement of habitats important to fishery species, and shall actively enter Federal, decision making processes where proposed actions may otherwise compromise the productivity of fishery resources of concern to the Council.

SAFMC Essential Fish Habitat Policy Statements

Considerations to Reduce or Eliminate the Impacts of Non-Fishing Activities on EFH

In addition to implementing regulations to protect habitat from degradation due to fishing activities, the Council in cooperation with NOAA Fisheries, actively comments on non-fishing projects or policies that may impact fish habitat. The Council established a Habitat Protection and Ecosystem Based Management Advisory Panel and adopted a comment and policy development process. Members of the Advisory Panel serve as the Council's habitat contacts and professionals in the field and have guided the Council's development of the following Policy Statements:

- [EFH Policy Statement on South Atlantic Climate Variability and Fisheries \(December 2016\)](#)
- [EFH Policy Statement on South Atlantic Food Webs and Connectivity \(December 2016\)](#)
- [Protection and Restoration of EFH from Marine Aquaculture \(June 2014\)](#)
- [Protection and Enhancement of Marine Submerged Aquatic Vegetation \(June 2014\)](#)
- [Protection and Restoration of EFH from Beach Dredging and Filling, Beach Re-nourishment and Large Scale Coastal Engineering \(March 2015\)](#)
- [Protection and Restoration of EFH from Energy Exploration, Development, Transportation and Hydropower Re-Licensing \(December 2015\)](#)
- [Protection and Restoration of EFH from Alterations to Riverine, Estuarine and Nearshore Flows \(June 2014\)](#)
- [Policies for the Protection of South Atlantic Marine & Estuarine Ecosystems from Non-Native and Invasive Species \(June 2014\)](#)
- [Policy Considerations for Development of Artificial Reefs in the South Atlantic Region and Protection of Essential Fish Habitat \(September 2017\)](#)

Habitat Conservation and Fishery Ecosystem Plans

The Council, views habitat conservation as the foundation in the move to Ecosystem Based Fishery Management (EBFM) in the region. The Council has been proactive in advancing habitat conservation through extensive gear restrictions in all Council FMPs and by directly managing habitat and fisheries affecting those habitats through two FMPs, the [Fishery Management Plan for Coral, Coral Reefs and Live/Hard Bottom Habitat of the South Atlantic Region](#) (Coral FMP) and the Pelagic [Sargassum Habitat FMP](#). In addition, the Dolphin Wahoo FMP represents a proactive FMP which established fishery measures and identified EFH in advance of overfishing or habitat impacts from the fisheries.

Building on the long-term conservation approach, the Council facilitated the evolution of the Habitat Plan into the first FEP to provide a clear description and understanding of the fundamental physical, biological, and human/institutional context of ecosystems within which fisheries are managed and identify information needed and how that information should be used in the context of FMPs. Developing a South Atlantic FEP required a greater understanding of the

South Atlantic ecosystem, including both the complex relationships among humans, marine life, the environment and essential fish habitat and a more comprehensive understanding of the biological, social, and economic impacts of management necessary to initiate the transition from single species management to EBFM in the region. To support the move towards EBFM, the Council adopted broad goals including 1) maintaining or improving ecosystem structure and function; 2) maintaining or improving economic, social, and cultural benefits from resources; and 3) maintaining or improving biological, economic, and cultural diversity.

Ecosystem Approach to Conservation and Management of Deep-water Ecosystems

The Council's Habitat and Environmental Protection Advisory Panel and Coral Advisory Panel supported an ecosystem approach and proactive efforts to identify and protect deep-water coral ecosystems in the South Atlantic region. Through [Comprehensive Ecosystem-Based Amendment 1](#), [Comprehensive Ecosystem-Based Amendment 2](#), and [Coral Amendment 8](#), the Council established and expanded deep-water coral HAPCs (CHAPCs) and co-designated them as EFH-HAPCs to protect the largest continuous distribution (>23,000 square miles) of pristine deep-water coral ecosystems in the world from fishing and non-fishing activities.

Fishery Ecosystem Plan II Development

The Council developed FEP II, in cooperation with NOAA Fisheries, as a mechanism to incorporate ecosystem principles, goals, and policies into the fishery management process, including consideration of potential indirect effects of fisheries on food web linkages when developing harvest strategies and management plans. Council policies developed through the process support data collection, model and supporting tool development, and implementation of FEP II. FEP II and the FEP II Implementation Plan provide a system to incorporate of ecosystem considerations into the management process.

FEP II was developed employing writing and review teams established from the Council's Habitat Protection and Ecosystem Based Management Advisory Panel, and experts from state, federal, NGOs, academia and other regional organizations and associations. Unlike the original Plan, FEP II is a living continually developing online information system presenting core sections and sections with links to documents or other online systems with detailed updated information on species, habitat, fisheries and research. For example, FEP II provides both concise summaries of Council managed species with links to detailed information served through the South Atlantic Ecospecies online species information system cooperatively developed with Florida Fish and Wildlife Research Institute (FWRI). The system provides online access to detailed information on habitat, life history, the fishery and management. A core part of the FEP II development process involved engaging the Council's Habitat Protection and Ecosystem Based Management Advisory Panel and regional experts in developing new sections and ecosystem- specific policy statements to address South Atlantic food webs and connectivity and South Atlantic climate variability and fisheries. In addition, standing essential fish habitat policy statements were updated and a new artificial reef habitat policy statement was approved. In combination, these statements advance habitat conservation and the move to EBFM in the region. They also serve as the basis for further policy development, consideration in habitat and fish stock assessments and future management of fisheries and habitat. They also support a more comprehensive view of conservation and management in the South Atlantic and identify long-term information needs, available models, tools, and capabilities that will advance EBFM in the region.

Fishery Ecosystem Plan II Dashboard

The FEP II Dashboard and associated online tools provide a clear description of the fundamental physical, biological, human, and institutional context of South Atlantic ecosystems within which fisheries are managed. The FEP II Digital Dashboard layout and online links follow are below:

- [Introduction](#)
- [South Atlantic Ecosystem](#)
- [South Atlantic Habitats](#)
- [Managed Species](#)
- [Social and Economic](#)
- [Essential Fish Habitat](#)
- [SAFMC Managed Areas](#)
- [Research & Monitoring](#)
- [SAFMC Tools](#)

NOAA Ecosystem Based Fishery Management Activities Supporting FEP II NOAA EBFM Policy and Road Map

To support the move to EBFM, NOAA Fisheries developed an agency-wide EBFM Policy and Road Map (available through Ecosystem page of the FEP II Dashboard <http://safmc.net/fishery-ecosystem-plan-ii-south-atlantic-ecosystem/>) that outlines a set of principles to guide actions and decisions over the long-term to: implement ecosystem-level planning; advance our understanding of ecosystem processes; prioritize vulnerabilities and risks of ecosystems and their components; explore and address trade-offs within an ecosystem; incorporate ecosystem considerations into management advice; and maintain resilient ecosystems.

FEP II Implementation Plan Structure and Framework

The Implementation Plan (<http://safmc.net/download/SAFMC-FEP-II-Implementation-Plan-March-2018.pdf>) is structured to translate approved policy statements of the Council into actionable items. The plan encompasses chapters beginning with an introduction to the policy statement, a link to the complete policy statement, and a table which translates policies and policy components into potential action items. The actions within the plan are recommendations for activities that could support the Council's FEP II policies and objectives.

FEP II Two Year Roadmap

The FEP II Two Year Roadmap (<http://safmc.net/download/SAFMC-FEP-II-Two-Year-Roadmap-March-2018.pdf>) draws from the Implementation Plan and presents three to five priority actions for each of the nine approved policy statements of the Council which would be initiated or completed over the next two years. The Roadmap provides "Potential Partners" and other potential regional collaborators, a focused list of priority actions they could cooperate with the Council on to advance policies supporting the move to EBFM in the South Atlantic region.

Monitoring/Revisions to FEP II Implementation Plan

FEP II and this supporting Implementation Plan are considered active and living documents. The Implementation Plan will be reviewed and updated periodically. During their spring meeting in 2021 and every three years following, the Habitat Protection and Ecosystem Based Management Advisory Panel will engage regional experts as needed, to determine whether additional actions addressing council policies should be added to the implementation plan. The Council's Habitat Protection and Ecosystem Based Management Committee will review, revise and refine those recommendations for Council consideration and approval for inclusion into the implementation plan.

Regional Habitat and Ecosystem Partners

The Council, with the Habitat Protection and Environmental Based Management Advisory Panel as the foundation, collaborates with regional partners to create a comprehensive habitat and ecosystem network in the region to enhance habitat conservation and EBFM.

Integrated Ocean Observing System (IOOS) and Southeast Coastal and Ocean Observing Regional Association (SECOORA)

The Integrated Ocean Observing System (IOOS®) is a partnership among federal, regional, academic, and private sector parties that works to provide new tools and forecasts to improve safety, enhance the economy, and protect our environment. IOOS supplies critical information about our Nation's oceans, coasts, and Great Lakes. Scientists working to understand climate change, governments adapting to changes in the Arctic, municipalities monitoring local water quality, and industries affected by coastal and marine spatial planning all have the same need: reliable, timely, and sustained access to data and information that inform decision-making. Improving access to key marine data and information supports several purposes. IOOS data sustain national defense, marine commerce, and navigation safety. Scientists use these data to issue weather, climate, and marine forecasts. IOOS data are also used to make decisions for energy siting and production, economic development, and ecosystem-based resource management. Emergency managers and health officials need IOOS information to make decisions about public safety. Teachers and government officials rely on IOOS data for public outreach, training, and education.

Southeast Coastal and Ocean Observing Regional Association (SECOORA)

The Southeast Coastal Ocean Observing Regional Association (SECOORA) is the coastal ocean observing system for the Southeast U.S. SECOORA is one of 11 [regional coastal observing systems](#) that comprise the NOAA-led [United States Integrated Ocean Observing System](#) (U.S. IOOS®). SECOORA's [mission](#) is to observe, understand, and increase awareness of our coastal ocean; promoting knowledge, economic, and environmental health through strong regional partnerships. Guided by their [members](#), users, regional ocean experts, managers, and other stakeholders, SECOORA collects [data](#) and creates tools that support human populations, coastal economies and a healthy, sustainable environment. The SECOORA [observing system](#) is comprised of multiple data products, moored and coastal stations, high-frequency radars, and a glider observatory. The SECOORA footprint spans the eastern side of Gulf of Mexico to South Atlantic Bight and is connected by the Loop Current-Florida Current-Gulf Stream continuum.

The [SECOORA Strategic Plan](#) (2016-2020) was developed by the Board in 2015 and guides tasks for the next 4 years. SECOORA supports projects that are important to stakeholders in the southeast. SECOORA talks to users and produces oceanographic observations, models, web tools, applications, and products based on their needs. Data are available on the portal <http://secoora.org/data/>. Each project SECOORA supports is linked to one of four focus areas: [Marine Operations](#), [Coastal Hazards](#), [Ecosystems](#), and [Climate Variability](#).

The Council is a voting member and Council staff serves on the Board of Directors to guide and direct priority needs for observation and modeling to support fisheries oceanography and integration into stock assessments through SEDAR.

Collaboration facilitates SECOORAs ability to: refine current or water column designations of EFH and EFH-HAPCs (e.g., Gulf Stream and Florida Current); provide oceanographic models linking benthic, pelagic habitats, and food webs; provide oceanographic input parameters for ecosystem mode; integrate OOS information into SEDAR process in the South Atlantic; facilitate OOS system collection of data and other research necessary to support the Council's conservation of habitat and use of area-based management tools in the South Atlantic Region including designation of EFH and EFH-HAPC and establishment of Marine Protected Areas, Deepwater C-HAPCs, Special Management Zones, Spawning Special Management Zones and Allowable Gear Areas; characterize connectivity of habitats and managed areas; highlight the OOS program in the South Atlantic FEP II Dashboard; and provide access to OOS products to facilitate model and tool development and provide researchers access to data or products including those collected/developed by South Atlantic OOS partners. The Council is also collaborating with SECOORA to advance the coordination, techniques and data integration for biodiversity and environmental observations in support of region-specific decision making and implement a sustainable National Marine Biodiversity Observation Network ([Marine Biodiversity Observation Network](#)).

National Fish Habitat Plan and Southeast Aquatic Resource Partnership (SARP)

The Councils serve on the National Habitat Board <http://www.fishhabitat.org/> and, as a member of the Southeast Aquatic Resource Partnership (SARP) <https://southeastaquatics.net/>, has highlighted this collaboration by including the Southeast Aquatic Habitat Plan (SAHP) and associated watershed conservation restoration targets into the original FEP. Many of the habitat, water quality, and water quantity conservation needs identified in the threats and recommendations Volume of the original FEP are directly addressed by on-the-ground projects supported by SARP. This cooperation results in funding fish habitat restoration and conservation intended to increase the viability of fish populations and fishing opportunity, which also meets the needs to conserve and manage EFH for Council-managed species or habitat important to their prey. This work supports conservation objectives identified in the SAHP to improve, establish, or maintain riparian zones, water quality, watershed connectivity, sediment flows, bottoms and shorelines, and fish passage, and addresses other key factors associated with the loss and degradation of fish habitats. SARP also developed the Southern Instream Flow Network (SIFN) <https://southeastaquatics.net/sarps-programs/sifn> to address the impacts of flow alterations in the Southeastern US aquatic ecosystems which leverages policy, technical experience, and scientific resources among partners based in 15 states. Maintaining appropriate flow into South Atlantic estuarine systems to support healthy inshore habitats essential to Council managed species is a

major regional concern and efforts of SARP through SIFN are envisioned to enhance state and local partners ability to maintain appropriate flow rates.

South Atlantic Landscape Conservation Cooperative

The Council participates as Steering Committee member for the South Atlantic Landscape Conservation Cooperative (SALCC), an applied conservation science partnership focused on the South Atlantic region that informs on-the-ground strategic conservation efforts at landscape scales. LCC partners included Department of Interior (DOI) agencies, other federal agencies, states, tribes, non-governmental organizations, universities, and others. The DOI Southeast Climate Services Center (CSC) had the LCCs in the region as their primary clients. One of the initial charges of the CSCs is to downscale climate models for use at finer scales.

The SALCC developed a Strategic Plan and a regional blueprint to address the rapid changes in the South Atlantic including climate change, urban growth, and increasing human demands on resources which are reshaping the landscape. Integration of connectivity, function, and threats to river, estuarine and marine systems supporting Council-managed species is supported by the SALCC and enhanced by the Council being a voting member of its Steering Committee. In addition, the Council's Webservices present spatial representations of EFH, managed areas, regional fish and fish habitat distribution, and fishery operation information which was drawn on as a critical part of the collaboration with the SALCC Conservation Planning Atlas and the Regional Conservation Blueprint. While the LCCs are no longer funded, the South Atlantic Conservation Blueprint continues to be refined and serves as the technical foundation for the Southeast Conservation Adaptation Strategy (SECAS).

Southeast Conservation Adaptation Strategy: <http://secassoutheast.org/>

SECAS unites the conservation community around a shared, long-term vision for the future to consider dramatic changes sweeping the Southeastern United States including urbanization, competition for water resources, extreme weather events, sea-level rise, and climate change which pose unprecedented challenges for sustaining our natural and cultural resources. Through SECAS, diverse partners are working together to design and achieve a connected network of lands and waters that supports thriving fish and wildlife populations and improved quality of life for people across the Southeastern United States and the Caribbean. The primary product of SECAS is the Southeast Conservation Blueprint SECAS Blueprint.

<http://secassoutheast.org/blueprint.html>. The Blueprint stitches together smaller sub-regional plans into one unifying map that identifies important areas for conservation and restoration.

Regional Ecosystem Modeling in the South Atlantic

South Atlantic Ecopath with Ecosim Model

The Council worked cooperatively with the University of British Columbia and the Sea Around Us project to develop a straw-man and preliminary food web models (Ecopath with Ecosim) to characterize the ecological relationships of South Atlantic species, including those managed by the Council. This effort helped the Council and cooperators identify available information and data gaps while providing insight into ecosystem function. More importantly, the model development process provided a vehicle to identify research necessary to better define populations, fisheries, and their interrelationships. While individual efforts were underway in

the South Atlantic, only with significant investment of resources through other programs was a comprehensive regional model further developed.

A subsequent collaboration building on the previous Ecopath model developed through the Sea Around Us project for the South Atlantic Bight focused on simulating forage fish population changes that could result from environmental or oceanographic variation associated with climate change effect and how it could potentially affect managed species.

As part of the FEP II development process a new generation South Atlantic ecosystem modeling effort funded by the SALCC, was conducted to engage a broader scope of regional partners. This effort facilitated development of a new generation Ecopath with Ecosim (EwE) model which will ultimately provide evaluation tools for the SSC and Council and inform other regional conservation planning efforts.

The new South Atlantic EwE model provides a more complete view of the system and supports potential future evaluations that may be possible with the model. With the model complete and tuned to the available data it can be used to address broad strategic issues, and explore “what if” scenarios that could then be used to address tactical decision-making questions such as provide ecosystem context for single species management, address species assemblage questions, and address spatial questions using Ecospace.

A modeling team comprised of FWRI staff, Council staff and other technical experts as needed, will coordinate with members of the original Ecosystem Modeling Workgroup to maintain and further refine the South Atlantic Model. The SAFMC Ecospecies online species information system will be the long-term repository for the processed inputs and outputs associated with the South Atlantic model. Online access to the EcoSpecies system is available through the FEP II Dashboard through individual links under Managed Species Section <http://safmc.net/uncategorized/safmc-managed-species/> and through the Tools Section <http://safmc.net/fishery-ecosystem-plan-ii-tools/> The direct link to the system is <http://saecospecies.azurewebsites.net/>.

Tools to support EBFM in the South Atlantic Region

The Council developed a Habitat Conservation and Ecosystem Management Section of the website <http://safmc.net/fishery-ecosystem-plan-ii-introduction/> which provides access to the FEP II Digital Dashboard and associated tools. Florida’s FWRI maintains and distributes GIS data, imagery, and documents relevant to habitat conservation and ecosystem-based fishery management in their jurisdiction. Over the last several years, FWRI has created web services and applications using the ArcGIS for Server (AGS) software. AGS enables collaboration among various federal, state and local agencies to evaluate and analyze fisheries-related information in a new way. By transitioning to the AGS platform, the Council enhanced their online suite of tools to support fisheries management in their region. The Council has continued its collaboration with FWRI in the evolution to Web Services provided through the regional SAFMC Habitat and Ecosystem Atlas (http://ocean.floridamarine.org/safmc_atlas/) and the SAFMC Digital Dashboard (http://ocean.floridamarine.org/safmc_dashboard/). The online systems provide access to the following Services:

SAFMC Fisheries Webservice: (http://ocean.floridamarine.org/SA_Fisheries/)

The service provides access to species distribution and spatial presentation of regional fishery independent data from the Southeast Area Monitoring and Assessment Program (South Atlantic) SEAMAP-SA, the Marine Resources Monitoring, Assessment, and Prediction program (MARMAP), and NOAA Southeast Fishery-Independent Survey (SEFIS).

SAFMC EFH Webservice: (http://ocean.floridamarine.org/sa_efh/)

The EFH service provides access to spatial representation of EFH and EFH-HAPCs for Council managed species and Highly Migratory Species.

SAFMC Managed Areas Service: (http://ocean.floridamarine.org/safmc_managedareas/).

The Managed Area service provides access to spatial presentations of Council and other managed areas in the region. A new data layer of gear restrictions to include in the Managed Areas map service. Restrictions for black sea bass pots, fish traps, roller rigs, octocoral harvest, spiny lobster closed areas, golden crab closed areas, pelagic sargassum harvest, and longline prohibited areas are provided.

SAFMC EcoSpecies Online Species Information System:

(<http://saecospecies.azurewebsites.net/>)

FWRI works with the Council to provide support relevant to habitat conservation and ecosystem-based fishery management in the Council's jurisdiction. The system provides species life history and habitat information to flexibly fill the needs of the South Atlantic Council and other regional users. The updated and refined system provides the Council with the foundation from which to attain a more comprehensive understanding of habitat and biology of species, fisheries information, social and economic impacts of management, and ecological consequences of conservation and management. The system was further refined with information supporting EFH designations, Annual Catch Limits (ACLs), and Accountability Measures (AMs) associated with all Council-managed species, added and additional refinement of structure and function further enhancing the systems capabilities and utility. In addition, new habitat information based on life history stage was imported into the database and a link to a User's Guide (<http://safmc.net/download/EcoSpecies-WebUser-Manual-3-17.pdf>) was added. The project in 2019 will continue to update and refine the online data system. Updates included in this phase of the project address the need by the Council to refine and update species information for future 5-year EFH reviews and to highlight and expand accessibility and availability of detailed species, habitat, and fishery information for FEP II to further support the move to Ecosystem-Based Fishery Management.

South Atlantic Artificial Reefs Web Application:

(<http://myfwc.maps.arcgis.com/apps/webappviewer/index.html?id=f3c6ac59ee5f49e59f1ae5c96c5bc76b>). This application provides a regional view of artificial reefs locations, contents and eventually imagery associated with programs in the southeastern U.S. overseen by individual states (Florida, Georgia, South Carolina, North Carolina).

South Atlantic ACCSP Web Map and Application:

A new ArcGIS Online [web map](#) displays Atlantic Coastal Cooperative Statistics Program (ACCSP) Statistical Areas with related ACCSP non-spatial tables of non-confidential data

binned into 5-year time steps to better represent catch and values of Council-managed species across time. The web map provides an easy interface to view landings of a statistical area over time. FWRI also created an [ACCSP web application](#) for users to query by species for each time step or query by ACCSP Statistical Areas. The ACCSP web application is powered by the web map to display charts of landings and values for ACCSP Statistical Areas. The related table widgets summarize the fields for “live_pounds” and “dollar_values” by species and time step.

SAFMC Habitat and Ecosystem Digital Dashboard Enhancements:

To further enhance the Councils Digital Dashboard and enhance linkages with regional partners mapping and characterizing habitats and documenting species use of habitats in the South Atlantic Region, a live link to the *Okeanos Explorer* while on cruise was added to the [Projects](#) page and a link to the Atlantic Coastal Fish Habitat Partnership (ACFHP) was added to the [Partners](#) page.

Ecosystem-Based Action, Future Challenges and Needs

The Council has implemented ecosystem-based principles through several existing fishery management actions including establishment of deep-water Marine Protected Areas for the Snapper Grouper fishery, proactive harvest control rules on species (e.g., dolphin and wahoo) which are not overfished, implementing extensive gear area closures which in most cases eliminate the impact of fishing gear on EFH, and use of other spatial management tools including Special Management Zones and Spawning Special Management Zones. Through development of the Comprehensive Ecosystem-Based Amendments, the Council has taken an ecosystem approach to protecting deep-water ecosystems while providing for traditional fisheries for the Golden Crab and Royal Red shrimp in areas where they do not impact deep-water coral habitat. The stakeholder-based process tapped into an extensive regional Habitat and Ecosystem network. Support tools facilitate Council deliberations and with the help of regional partners, are being refined to address long-term habitat conservation and EBFM needs.

One of the greatest challenges to enhance habitat conservation and EBFM in the region is funding high priority research, including comprehensive benthic mapping and ecosystem model and management tool development. In addition, collecting detailed information on fishing fleet dynamics including defining fishing operation areas by species, species complex, and season, as well as catch relative to habitat is critical for assessment of fishery, community, and habitat impacts and for Council use in place-based management measures. Additional resources need to be dedicated to expanding regional coordination of modeling, mapping, characterization of species use of habitats, and full funding of regional fishery independent surveys (e.g., MARMAP, SEAMAP, and SEFIS) which are linking directly to addressing high priority management needs. The [FEP II Implementation Plan](#) includes Appendix A to highlight research and data needs excerpted from the [SEAMAP 5 Year Plan](#) because they represent short and long-term research and data needs that support EBFM and habitat conservation in the South Atlantic Region.

Development of ecosystem information systems to support Council management should build on existing tools (e.g., Regional Habitat and Ecosystem GIS and Arc Services) and provide resources to regional cooperating partners for expansion to address long-term Council needs. NOAA should support and build on the regional coordination efforts of the Council as it

transitions to a broader management approach. Resources need to be provided to collect information necessary to update information supporting FEP II, which support refinement of EFH designations and spatial representations and future EBFM actions. These are the highest priority needs to support habitat conservation and EBFM, the completion of mapping of near-shore, mid-shelf, shelf edge, and deep-water habitats in the South Atlantic region and refinement in the characterization of species use of habitats.