

SEDAR Stock Assessments:

NOAA FISHERIES SEFSC


Beaufort, NC Laboratory

Transitioning from Benchmarks/Updates to Research/Operational




The problem: Balancing the three T's

Existing combination of benchmark, standard and update assessments is very transparent, reasonably thorough, but too slow for the demand









Benchmark

Intended to complete a thorough evaluation that accommodates the input of stakeholders and reviewers while under strict deadlines for providing management advice

Standard

Address specific concerns (expressed in the TORS) without deviating too much from previous benchmark

Update

Deviates as little as possible from previous benchmark



Benchmark

Intended to complete a thorough evaluation that accommodates the input of stakeholders and reviewers while under strict deadlines for providing management advice

Standard

Address specific concerns (expressed in the TORS) without deviating too much from previous benchmark

Update

Deviates as little as possible from previous benchmark

Data providers have difficulty meeting deadlines because key decisions made along the way can change what is required

Results often criticized by reviewers, but there is little time to address their concerns

Deadlines are pushed and often missed

Word "benchmark" implies "best" to many when in fact it is the first time some components have been examined and implemented



Benchmark

Intended to complete a thorough evaluation that accommodates the input of stakeholders and reviewers while under strict deadlines for providing management advice Data providers have difficulty Can't address suggestions Deadlines pushed or missed Loaded language (Benchmark)

Standard

Address specific concerns (expressed in the TORS) without deviating too much from previous benchmark

Update

Deviates as little as possible from previous benchmark

d Reaso

Reasonably fast, but sometimes criticized by stakeholders who think a "benchmark" is better



Fast, but often criticized by stakeholders who think a "benchmark" is better and would like more involvement.



Benchmark

Intended to complete a thorough evaluation that accommodates the input of stakeholders and reviewers while under strict deadlines for providing management advice

Standard

Address specific concerns (expressed in the TORS) without deviating too much from previous benchmark

Update

Deviates as little as possible from previous benchmark

Proposed

Research Cycle

Like a Benchmark, but not intended to produce assessment results for immediate advice to management. The goal is to build a robust tool that will be used to develop timely advice.

Operational Assessment

May follow existing Standard or Update Processes: Designated analysts apply the tool developed by the Research Assessment to the most recent data sets to produce timely management advice.



Research Cycle

- Test, document and review assessment approaches, incorporate new research findings, and evaluate new data streams,
- Conducted similar to current benchmark process with an assessment panel, IPT-style communication and 1-2 workshops
- Review panel meeting with independent external participants (e.g., CIE)
- Findings thoroughly documented as an assessment report, and possibly a NOAA Tech Memo or journal publication commensurate with the degree of novelty of the methods.
- Unresolved issues and ideas for future improvements reported to begin the next cycle of research.
- Not intended to produce assessment results for immediate advice to management, but once vetted, will be operationalized



Operational assessments

- Produce timely advice to management
- Conducted by designated analysts using a suite of previously reviewed procedures and data sets, in consultation with an advisory body comprised of scientists and stakeholders with local expertise
- Minor changes to previous approaches may be considered, if agreed to by the SSC as part of the TORs.
- Findings documented succinctly with an executive summary that makes fishery management advice clearly and quickly accessible
- Anomalies, concerns and research recommendations are documented and made available for future considerations



Advantages of new approach

During research cycles

- Analysts can focus on more thoroughly addressing the major concerns of scientists and stakeholders without the conflicting pressure of finishing the assessment in time for management deadlines
- Suggestions from reviewers can be incorporated and used in the operational phase
- Data providers are not under pressure to provide the most recent data or repeatedly revise inputs
- More opportunities for scientific research that advance the state of the art

During operational assessments

- Standardized, pre-approved approaches will be used such that
 - Implementation errors will be reduced and throughput increased (analysts can focus on updating inputs, implementing only minor changes, and model diagnostics)
 - o Assessments will be more reproducible and require less advanced technical skills
 - Data providers will be able to produce inputs more quickly and with minimal effort
- Emphasis will be placed on succinct communication of management advice in plain language (rather than the details of the assessment)



How will it work?

Below is a hypothetical example of two years in the SEDAR cycle with five lead assessment analysts available.

- After two years, 3 research track assessments and 10 operational assessments would be complete
- Long term averages with 5 analysts
 - 1-2 research track assessments per year
 - 4-6 operational assessments per year

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
Research Track Assessment		Stock 1													Stock 2										
Research Track Assessment																		Sto	ock 3						
Operational Assessment						:	Stock	4																	
Operational Assessment					Stock	5					9	Stock	6				Stock 1								
Operational Assessment		Stock	7					9	Stock	8					9	Stock	9								
Operational Assessment					Stock 10							S	tock 1	11						S	tock :	12			



Questions?

