

Science, Service, Stewardship



Southeast Fisheries Science Center

SAFMC Update – March 2012

Snapper-Grouper Committee

Prepared by:

B. Ponwith, T. Jamir, S. Turner & V. Matter

March 6, 2012

NOAA
FISHERIES
SERVICE




Black Seabass Rec Landings* (whole weight, lb)

fish_yr	Cbt	Cbt/Hbt	Hbt	Priv	Shore	Grand Total
1998	158,232		142,503	269,518	9,031	579,284
1999	129,886		192,567	258,840	3,621	584,913
2000	37,692		144,588	289,645	5,993	477,918
2001	113,397		172,023	488,411	9,194	783,026
2002	128,142		123,274	254,771	4,689	510,876
2003	168,850		134,110	317,429	2,886	623,275
2004	258,207		237,584	798,302	2,819	1,296,913
2005 (Jan05- May06)	136,468		229,898	780,853	3,228	1,150,446
2006/2007	94,283		208,303	522,667	3,610	828,863
2007/2008	68,834		120,436	461,265	5,118	655,653
2008/2009	48,134		104,666	366,057	1,514	520,371
2009/2010	110,328		209,513	340,120	5,042	665,003
2010/2011	97,939		194,686	327,478	1,995	622,098
2011/2012	81,680			224,401	1,722	307,802


* Area: NC to FLE; MRFFS Data Unweighted Est. through 2011; Wave 6 (2011 is prelim.); HBS through 2010

** Calendar year (98-04); 2005 – May 06; June 1 – May 31 (starting June 06)

Black Seabass Rec Landings



Recreational Fishing Effort






Gag Grouper Rec Landings* (whole weight, lb)

fish_yr	Cbt	Cbt/Hbt	Hbt	Priv	Shore	Grand Total
1998	63,865		70,876	173,374	0	308,116
1999	195,205		58,345	390,745	9,083	653,378
2000	133,224		60,908	288,017	0	482,149
2001	127,250		52,772	530,536	43,479	754,036
2002	90,691		50,558	297,984	0	439,233
2003	136,584		32,492	606,743	0	775,818
2004	132,247		97,323	454,524	0	684,093
2005	143,448		84,650	369,874	0	597,972
2006	110,863		54,914	370,391	0	536,168
2007	105,946		78,803	382,148	13,848	580,745
2008	64,678		39,106	513,597	27,675	645,056
2009	53,736		31,556	222,882	7,019	315,193
2010	26,955		32,366	142,956	0	202,277
2011	14,698			152,730	0	167,427

* Area: NC to FLE; MRFFS Data Unweighted Est. through 2011; Wave 6 (2011 is prelim.); Headboat Survey data through 2010

Gag Grouper Rec Landings




Fishing Year

■ Cbt ■ Cbt/Hbt ■ Hbt ■ Priv ■ Shore ■ Grand Total

NOTE: Combined ACL for gag, black grouper & red grouper aggregate:
648,663 lb gutted wt.
(765,422 lb whole wt.)

Recreational Fishing Effort






Greater Amberjack Rec Landings* (whole weight, lb)

fish_yr	Cbt	Cbt/Hbt	Hbt	Priv	Shore	Grand Total
1998/1999	823,459		56,527	253,873		1,133,860
1999/2000	524,246		72,172	154,919		751,337
2000/2001	355,009		134,104	385,262	15,387	889,762
2001/2002	412,216		92,629	366,847	35,927	907,619
2002/2003	381,580		86,612	310,104		778,296
2003/2004	574,349		135,563	225,231	82,672	1,017,815
2004/2005	369,127		76,091	193,550		638,769
2005/2006	281,615		33,739	100,387		415,741
2006/2007	367,929		48,404	442,792		859,125
2007/2008	414,150		110,915	478,902	0	1,003,967
2008/2009	591,599		74,284	549,290		1,215,173
2009/2010	501,193		86,987	666,726	0	1,254,906
2010/2011	367,918		69,695	439,032		876,645
2011/2012	110,247			197,097	28,829	336,173


* Area: NC to FLE; MRFFS Data Unweighted Est. through 2011; Wave 6 (2011 is prelim.); Headboat Survey only includes data through 2010; Fishing year is May 1 to April 30

Greater Amberjack Rec Landings

Recreational ACL specified in Action 5
Table 4-27 of Comp. ACL Amendment



Recreational Fishing Effort






Mutton Snapper Rec Landings (whole weight, lb)

fish_yr	Cbt	Cbt/Hbt	Hbt	Priv	Shore	Grand Total
1998	23,733		43,360	134,543	15,110	216,746
1999	7,142		33,376	87,774	17,536	145,828
2000	29,114		42,861	222,704	4,972	299,651
2001	33,278		46,284	164,652	15,144	259,358
2002	50,830		35,783	224,932	16,552	328,097
2003	52,590		32,489	232,668	19,737	337,483
2004	46,241		32,304	210,608	23,720	312,873
2005	68,249		61,506	288,069	23,457	441,281
2006	24,914		70,026	302,491	19,337	416,768
2007	35,435		46,974	433,563	56,649	572,621
2008	14,326		42,220	328,211	195,249	580,007
2009	39,925		72,386	254,811	15,490	382,613
2010	34,054		49,645	402,772	31,898	518,369
2011	38,550			113,586	19,307	171,443

* Area: NC to FLE; MRFFS Data Unweighted Est. through 2011; Wave 6 (2011 is prelim.);
Headboat Survey data through 2010


Mutton Snapper Rec Landings



Fishing Year

■ Cbt ■ Cbt/Hbt ■ Hbt ■ Priv ■ Shore ■ Grand Total

Recreational Fishing Effort



■ NC-FLE MRFSS (number of trips) ■ Atl w the keys HBS (angler days)




Red Porgy Rec Landings (whole weight, lb)

fish_yr	Cbt	Cbt/Hbt	Hbt	Priv	Shore	Grand Total
1998	13,736		69,262	4,043		87,040
1999	51,346		48,656	11,700		111,702
2000	6,487		13,906	6,490		26,883
2001	27,727		46,308	9,843		83,879
2002	46,463		33,341	6,708	0	86,512
2003	30,885		34,742	23,848		89,475
2004	43,881		49,308	29,931		123,120
2005	11,613		42,143	26,668		80,424
2006	19,437		67,679	10,183		97,299
2007	42,452		117,254	16,473		176,180
2008	34,806		52,598	54,961		142,365
2009	12,720		33,752	49,300		95,772
2010	16,848		37,413	11,291		65,553
2011	13,351			21,182		34,533


* Area: NC to FLE; MRFFS Data Unweighted Est. through 2011; Wave 6 (2011 is prelim.); Headboat Survey data through 2010

Red Porgy Rec Landings

ACL 190,050 lb gutted wt.
(197,657 lb whole wt.)



Recreational Fishing Effort






Red Snapper Rec Landings (whole weight, lb)


fish_yr	Cbt	Cbt/Hbt	Hbt	Priv	Shore	Grand Total
1998	80,161		26,848	54,110	0	161,119
1999	91,951		43,558	75,771	0	211,280
2000	50,754		49,403	434,004	0	534,161
2001	64,317		68,384	267,071	10,510	410,282
2002	123,632		70,796	274,868		469,297
2003	136,914		41,353	147,192	0	325,459
2004	129,924		80,349	173,137	0	383,409
2005	116,716		58,695	139,542	0	314,953
2006	102,598		41,432	138,922		282,952
2007	76,691		37,460	243,751	0	357,902
2008	151,987		115,308	534,874	6,967	809,135
2009	223,559		141,086	645,666	9,677	1,019,988
2010	224		2,610	0		2,834
2011	0			0	5,444	5,444

* Area: NC to FLE; MRFFS Data Unweighted Est. through 2011; Wave 6 (2011 is prelim.); Headboat Survey data through 2010

Red Snapper Rec Landings



Recreational Fishing Effort






Snowy Grouper Rec Landings (number of fish)


fish_yr	Cbt	Cbt/Hbt	Hbt	Priv	Shore	Grand Total
1998	313		172			485
1999	2,903		142	4,073		7,118
2000	1,947		178	0		2,125
2001	10,857		411	2,569		13,837
2002	3,648		200	0		3,848
2003	3,720		66	519		4,305
2004	8,410		180	8,704		17,293
2005	5,513		347	5,423		11,282
2006	13,487		97			13,584
2007	1,933		173	1,838		3,944
2008	1,770		53	0		1,823
2009	1,347		108	2,478		3,933
2010	1,582		77	407		2,066
2011	101					101

* Area: NC to FLE; MRFFS Data Unweighted Est. through 2011; Wave 6 (2011 is prelim.);
Headboat Survey data through 2010

Snowy Grouper Rec Landings



Recreational Fishing Effort






Golden Tilefish Rec Landings (number of fish)


fish_yr	Cbt	Cbt/Hbt	Hbt	Priv	Shore	Grand Total
1998	259					259
1999	2,007		5			2,012
2000	1,143			2,410	0	3,553
2001	3,350			687		4,037
2002	3,515					3,515
2003	12,396			0		12,396
2004	9,947			1,939		11,886
2005	55,188			15,116		70,304
2006	10,063			2,659		12,723
2007	1,222			943		2,165
2009	1,678			6,454		8,132
2010	503			3,880		4,383
2011	138			9,686		9,824

* Area: NC to FLE; MRFFS Data Unweighted Est. through 2011; Wave 6 (2011 is prelim.); 2010/2011 fishing year incomplete – Headboat Survey only includes data through 2010

Golden Tilefish Rec Landings



Recreational Fishing Effort






Vermilion Snapper Rec Landings (whole weight, lb)

fish_yr	Cbt	Cbt/Hbt	Hbt	Priv	Shore	Grand Total
1998	98,757		275,492	28,541		402,790
1999	78,932		335,732	65,330		479,994
2000	90,319		406,785	176,001		673,105
2001	136,026		402,620	109,867		648,513
2002	117,775		326,447	86,628		530,850
2003	128,210		287,444	103,598	973	520,225
2004	246,053		361,562	113,529		721,143
2005	105,681		311,977	40,666		458,324
2006	115,251		402,351	98,671	0	616,273
2007	107,096		613,765	122,041	873	843,775
2008	76,672		301,175	149,673		527,520
2009	150,941		261,107	149,980		562,027
2010	51,950		169,859	64,897		286,706
2011	24,304			45,725	0	70,029


* Area: NC to FLE; MRFFS Data Unweighted Est. through 2011; Wave 6 (2011 is prelim.); Headboat Survey data through 2010

Vermilion Snapper Rec Landings



■ Cbt ■ Cbt/Hbt ■ Hbt ■ Priv ■ Shore ■ Grand Total

Recreational Fishing Effort





Yellowtail Snapper Rec Landings (whole weight, lb)

fish_yr	Cbt	Cbt/Hbt	Hbt	Priv	Shore	Grand Total
1998	21,770		119,808	85,180	0	226,758
1999	3,663		98,905	57,996	981	161,545
2000	4,996		94,696	151,857	5,270	256,819
2001	20,470		96,209	54,889	2,108	173,675
2002	13,693		110,374	36,652	4,022	164,741
2003	38,673		96,406	48,491	4,386	187,955
2004	47,725		103,518	168,310	8,269	327,822
2005	47,200		147,470	236,427	24,962	456,060
2006	35,949		83,329	236,859	17,227	373,364
2007	51,255		81,889	313,713	7,412	454,269
2008	18,921		91,142	235,087	7,778	352,929
2009	32,126		75,073	135,817	1,343	244,359
2010	16,215		85,552	129,994	1,231	232,993
2011	20,908			138,469	0	159,377

* Area: NC to FLE; MRFFS Data Unweighted Est. through 2011; Wave 6 (2011 is prelim.); Headboat Survey data through 2010

Yellowtail Snapper Rec Landings

